

Z:\Design\Read-Only\BRANDS\McDONALD'S\2025 NEW (DIR) BUILDING STANDARD\ROUTE 66\4590\2025 New Restaurant Proto_4590_Route 66_JBI_20260202.dwg, 0-COV, 2/17/2026 2:03:22 PM, avillavicencio

GENERAL NOTES

- ALL DESIGNS AND PLANS REPRESENTED ON THESE DRAWINGS ARE OWNED BY JBI AND WERE CREATED FOR USE ON THE SPECIFIED PROJECT. NONE OF THE IDEAS, DESIGNS, ARRANGEMENTS OR PLANS REPRESENTED BY THESE DRAWINGS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT WRITTEN PERMISSION FROM JBI
- WRITTEN DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. ALL DIMENSIONS INDICATED ON THESE PLANS ARE FROM INSIDE WALL SURFACES. DO NOT SCALE OFF OF THESE PLANS - CONTACT JBI TO VERIFY ANY QUESTIONABLE DIMENSIONS.
- REFER TO ARCHITECTURAL AND/OR ENGINEERING DRAWINGS FOR COMPLETE AND ACCURATE DIMENSIONS OF BUILDING STRUCTURE.
- DO NOT USE FOR CONSTRUCTION UNLESS THE DRAWING HAS BEEN APPROVED BY THE CUSTOMER AND MARKED "APPROVED FOR CONSTRUCTION".
- DUE TO UNFORESEEN CHANGES THAT OCCUR DURING CONSTRUCTION, CONSTRUCTION MANAGER, AND/OR G.C. MUST VERIFY ALL INTERIOR BUILDING DIMENSIONS, EQUIPMENT, FURNITURE PLACEMENT, UTILITY LOCATIONS AND CONDITIONS AT THE JOB SITE AND NOTIFY JBI OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION, MANUFACTURING, CORE DRILLING OR INSTALLATION.
- JBI MUST BE COPIED ON ANY BUILDING OR ARCHITECTURAL DRAWING CHANGES.
- JBI SHALL NOT BE RESPONSIBLE FOR UNDISCLOSED OR UNSEEN SITE CONDITIONS.
- CORE DRILL EQUIPMENT REQUIRES A MINIMUM 5" THICK CONCRETE SLAB. G.C. TO FINISH CORE DRILL HOLES WITH 1/4" GROUT TO MATCH FLOOR TILE GROUT.
- JBI ASSUMES THAT THERE IS NO INTERFERENCE IN SLAB FOR CORE DRILLED HOLES. ALL ELECTRICAL CONDUITS, WATER LINES, POST TENSION CABLES, ETC. LOCATED IN THE SLAB MUST BE IDENTIFIED BY THE ARCHITECT AND/ OR GC AND NOTED AND ACKNOWLEDGED ON JBI DESIGN DOCUMENTS; COST FOR ALL REPAIRS RELATED TO HIDDEN CONDITIONS ARE THE RESPONSIBILITY OF THE CUSTOMER.
- FOR REMODEL INSTANCES JBI ASSUMES THAT ALL EXISTING STEEL WAS PROPERLY REMOVED IN ITS ENTIRETY AND ALL HOLES FILLED
- JBI PROVIDES RECOMMENDATIONS FOR OWNER/G.C. SUPPLIED ITEMS. IT IS THE RESPONSIBILITY OF THE OWNER/G.C. TO APPROVE AND OBTAIN SPECIFIED PRODUCTS. THE OWNER'S RESPONSIBILITIES INCLUDE ALL CONTRACTS WITH THE GENERAL & SUB CONTRACTORS AND THEIR COMPLIANCE WITH THESE SPECIFICATIONS.
- JBI DOES NOT WARRANT RECOMMENDED MATERIALS SUPPLIED BY THE OWNER/ G.C. THE WARRANTY IS PROVIDED BY THE SELLER OR MANUFACTURER OF THE MATERIAL.
- IN RARE INSTANCES, THE OWNER/G.C. MAY BE REQUIRED TO REMOVE A WINDOW IN ORDER TO GAIN FURNITURE ACCESS INTO THE DINING AREA.

FINAL APPROVAL TERMS

- PLEASE SIGN THIS COVER PAGE TO INDICATE ACCEPTANCE OF PROJECT AS SHOWN IN DRAWING PACKAGE.
- A SIGNED SALES ORDER SIGNIFIES AN OBLIGATION TO PROCEED WITH THE EXECUTION OF THE SPECIFIED PROJECT.
- A DEPOSIT IS REQUIRED TO START PRODUCTION.
- CHANGE ORDERS ARE SUBJECT TO A MINIMUM \$500 PROCESSING FEE.
- ALL ITEMS PRODUCED FOR YOUR PROJECT ARE CUSTOM MADE TO FIT THE BUILDING BASED ON INFORMATION GATHERED DURING THE INITIAL JOB SITE SURVEY OR THE PROVIDED ARCHITECTURAL DRAWINGS. SUCH PRODUCTS MAY NOT BE RETURNED OR EXCHANGED. JBI MUST BE NOTIFIED OF ANY BUILDING OR ARCHITECTURAL DRAWING CHANGES IN ORDER TO ENSURE PROPER PRODUCT FIT.

PLEASE SEE FINAL APPROVAL TERMS

ON SITE DATE	---
CUSTOMER SIGNATURE DUE DATE	---

Customer Name: _____

Customer Signature/Date: _____

PROJECT INFORMATION:

PROJECT NO.....: 4590

NAT'L STORE NO.: ----

SITE ID.....: ----

CUSTOMER.....: ----

ADDRESS.....: ----

CITY / STATE.....: ----

JBI CONTACTS:

DESIGN DIRECTOR:

LORETTA ROMERO
(310)667-5672
lromero@jbi-interiors.com

DESIGNER:

ALYSON VILLAVICENCIO
avillavicencio@jbi-interiors.com



2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

PRELIMINARY NOT FOR CONSTRUCTION

*BID SET / BRAND REVIEW SUBMITTAL SET

KIOSK REVIEW
APPROVAL PENDING

CURRENT REVISION LETTER DATE

THIS SET INCLUDES:

- 0-COVER SHEET
- 1-SEATING LAYOUT PLAN
- 2-SHADED PLAN
- 3-FINISH PLAN
- 4-CEILING PLAN
- 5a-ELEVATIONS
- 5b-ELEVATIONS
- 5c-ELEVATIONS
- 5d-ELEVATIONS
- 5e-ELEVATIONS
- 6-STANDARD DETAILS
- 7-GRAPHIC CROP GUIDE
- 8a-JBI LEGEND
- 8b-JBI LEGEND
- 8c-JBI LEGEND
- 9a-GC LEGEND
- 9b-GC LEGEND
- 9c-GC LEGEND

REVISION HISTORY:

-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV
-	02-02-26	ALV







SET DRAWN / REVISED FROM	DATE RECEIVED:	OBTAINED FROM:
---	-	-
---	-	-
---	-	-
---	-	-

SERVICE COUNTER TO BE AT
34" AFF (INCLUDES TOP) TO
MEET ADA REQUIREMENTS



590 | 4

Z:\Design\Read-Only\BRANDS\McDONALD'S\2025 NEW (DIR) BUILDING STANDARDS\ROUTE 66\4590\2025 New Restaurant Proto_4590_JBI_20260202.dwg, 5a, 2/17/2026 2:03:29 PM, avilavincendo



2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

REVISIONS

LTR	DATE	BY	CHK'D
-----	------	----	-------



ROUTE 66
OPTIMIZED

SITE ID: -

STORE NUMBER: -

ADDRESS
STREET
CITY,
STATE

ELEVATIONS

DATE: ## ##

SCALE: 3/8" = 1'-0"

DESIGNER: xxx

CHK'D:


DRAWING NUMBER

PAGE


4590

5a

Z:\Design\Read-Only\BRANDS\McDONALD'S\2025 NEW (DIR) BUILDING STANDARDS\ROUTE 66\4590\2025 New Restaurant Proto_4590_Route 66_JBI_20260202.dwg, 5d, 2/17/2026 2:03:38 PM, avilavicencio




K ELEVATION




L ELEVATION
CREW ROOM

NOTE: GC TO START GRAPHIC MURAL
AT THE BOTTOM AND TRIM AT THE TOP.



M ELEVATION
CREW ROOM



N ELEVATION
CREW ROOM



2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

REVISIONS

LTR	DATE	BY	CHK'D



ROUTE 66
OPTIMIZED

SITE ID: -

STORE NUMBER: -

ADDRESS
STREET
CITY,
STATE

ELEVATIONS

DATE: ## ##

SCALE: 3/8" = 1'-0"

DESIGNER: XXX


CHK'D:

DRAWING NUMBER





PAGE

4590

5d



Z:\Design\Read-Only\BRANDS\McDONALD'S\2025 NEW (DIR) BUILDING STANDARDS\ROUTE 66\4590\2025 New Restaurant Proto_4590_Route 66_JBI_20260202.dwg, 6, 2/17/2026 2:03:45 PM, avillavicencio



SOLID SURFACE SILL SECTION

3" = 1'-0"

1

CORNER TILE GUARD

6" = 1'-0"

2

CHAIR RAIL DETAIL


6" = 1'-0"

3


COVE BASE TRIM

6" = 1'-0"

4



DETAILS SHOWN FOR FINISH APPLICATION REFERENCE ONLY.
NOT INTENDED TO DEPICT EXACT DIMENSIONS OR SITE CONDITIONS.



DETAILS SHOWN FOR FINISH APPLICATION REFERENCE ONLY.
NOT INTENDED TO DEPICT EXACT DIMENSIONS OR SITE CONDITIONS.



2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

REVISIONS

LTR DATE BY CHK'D



SITE ID:

STORE NUMBER:

ADDRESS
STREET
CITY,
STATE

STANDARD DETAILS

DATE: ###-##-##

SCALE: AS NOTED

DESIGNER: XXX

CHK'D:

DRAWING NUMBER

PAGE

4590

6

WALL FINISH ISOMETRIC - 1

N/A

5

WALL FINISH ISOMETRIC - 2

NTS

6

NOTE: GRAPHIC MURAL SIZES SHOWN FOR REFERENCE PURPOSES ONLY. GC TO INCLUDE WINDOW RETURNS (WHERE APPLICABLE) AND VERIFY ALL SIZES PRIOR TO PURCHASING / INSTALLATION.





2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

REVISIONS

LTR	DATE	BY	CHK'D
-----	------	----	-------

	1	2	3	4
1	1			
2		1		
3			1	
4				1

--	--	--	--

--	--	--	--

	1990	1995	2000	2005
1990	100	100	100	100
1995	100	100	100	100
2000	100	100	100	100
2005	100	100	100	100

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

	1	2	3	4
1	1			
2		1		
3			1	
4				1

--	--	--	--

--	--	--	--

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

--	--	--	--



ROUTE 66 OPTIMIZED

SITE ID:

STORE NUMBER: _____

ADDRESS
STREET
CITY,
STATE

UJI LEGEND

DATE: ##-##-##

#-##

SCALE: NTS

NTS

DESIGNER: xxx

CHK'D:

DRAWING NUMBER

PAGE

4590

8a



REVISIONS

	1	2	3	4
1	1			
2		1		
3			1	
4				1

--	--	--	--

--	--	--	--

	1	2	3	4
1	1			
2		1		
3			1	
4				1

--	--	--	--

--	--	--	--

--	--	--	--

	1	2	3	4
1	1			
2		1		
3			1	
4				1

--	--	--	--

--	--	--	--

--	--	--	--



ADDRESS
STREET
CITY,
STATE

JBI LEGEND

RESULTS

CHK'D:

8b

Z:\Design\Read-Only\BRANDS\McDONALD'S\2025 NEW (DIR) BUILDING STANDARDS\ROUTE 66\4590\2025 New Restaurant Proto_4590_Route 66_JBI_20260202.dwg, 8c, 2/17/2026 2:03:49 PM, avillavicencio

ITEMS BY JBI								
Quantity	JBI Type Mark	JBI Part Number	PRODUCT NAME	Color / Finish Code(s)	Finishes	Comments	Standard / Custom	Variable Item Dimension
Décor - Walls & Partitions								
1	2	FADC-007	Happy Meal Merchandiser Wall Mounted		Exterior Cabinet: Lamitech Golden Cabinet Face: Lamitech Cinder Plywood Edge with Clear Coat		Standard	
1	3a	FADC-072	36" Round Mirror		Frame: Powdercoat, RAL 1028 Mellow Yellow Convex Mirror		Standard	
1	3b	FADC-074	18" Round Mirror		Frame: Powdercoat, RAL 1028 Mellow Yellow Convex Mirror		Standard	
4	4	FADS-191	Sliding Window Screen, Extra Large		Finish: Lamitech Ontario Oak 1540 PW Edges: Birch Plywood Metal Structure: TCI 9611-01333 Stainless Steel		Standard	82.5" - 91" High
Décor - Ceiling Elements								
1	5	FASO-050	Ceiling Soffit 78" x 108"		Finish: Lamitech Ontario Oak 1540 PW Reveal: Lamitech Cinder 2110 MT		Standard	
Décor - Crew Room								
1	6a	FAWP-185	Bulletin Board 36" x 72"		1/2" MDF 3/8" Raw Cork 1-1/4" x 1/2" Anodized Aluminum Outside Corner		Standard	
1	6b	FAWP-213	Bulletin Board 36" x 48" (Vertical)		1/2" MDF 3/8" Raw Cork 1-1/4" x 1/2" Anodized Aluminum Outside Corner		Standard	
Décor - Digital Growth Channel								
1	7	FARO-020	36" Unassisted Pick-up Infill Kit		24"H Pod Base Face/End Panels: Solid Surface Titanium Pod Counter Top: Solid Surface White Pod Base: 1/2" Lamitech Cinder Compact Laminate Surround: Lamitech 2316TX Golden & 2192 MT Graphite K Laminated Shelving: Lamitech 2192 MT Graphite K Decal Package	Includes Blade Signs: (1) Red FARO-018, (1) Yellow FARO-019	Standard	
1	8	FARO-022	42" Unassisted Partial Infill Pick-up Kit		24"H Pod Base Face/End Panels: Solid Surface, Titanium Pod Counter Top: Solid Surface, White Pod Base: 1/2" Lamitech Cinder Compact Laminate End Panel: Lamitech 2316TX Golden Lamitech 2192 MT Graphite K Shelving, Soffit: Lamitech 2192 MT Graphite K Perforated Metal Screen: Powdercoat, Signal Yellow Decal Package	Includes Blade Signs: (1) Red FARO-018, (1) Yellow FARO-019	Standard	



2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

REVISIONS

LTR DATE BY CHK'D



ROUTE 66
OPTIMIZED

SITE ID: -

STORE NUMBER: -

ADDRESS
STREET
CITY,
STATE

JBI LEGEND

DATE: ## ## ##

SCALE: NTS

DESIGNER: XXX

CHK'D:

DRAWING NUMBER

PAGE

4590

8c

ITEMS BY GENERAL CONTRACTOR / OWNER

GC Type Mark	Type	Description	Product	Finish & Color	McD Finish Code	Manufacture	Contact Info	McD SKU#	Comments
Ceiling Finishes									
A1	Acoustical Tile	Main Ceiling Tile/Grid	Frost Clima	Tile: Frost 450 3/4" 2'x4' SLB Manila #246 Grid: Donn DX/DXL 15/16" Suspension System Manila #246		USG	Contact your Local Distributor for ordering. For urgent requests, Contact: John Funes 312-401-6579 jfunes@usg.com		Production lead times: 2-3 weeks for the panels (This does not include transit time) 2-3 weeks for the grid (This does not include transit time)
A2	Acoustical Tile	Service Counter Ceiling Scrubbable/Washable	Premier Hi-Lite ClimaPlus Kapok	Tile: 24"x24"x5/8" Grid: DX/DXL 15/16" Square Lay-In Color: White	AT04	USG	Contact your Local Distributor for ordering. For urgent requests, Contact: John Funes 312-401-6579 jfunes@usg.com		HVAC, Speaker Covers and Diffusers to be painted to match ceiling tile
A3	Acoustical Tile	Crew Room Ceiling Tile/Grid		Refer to McDonald's Guidelines					
B	Ceiling Element	Melty Cheese Soffit		Décor to state the correct spec per size on GC page: Cheesy Soffit Molded Panel system 47" x 170"		Acoustical Surfaces Inc.	Mike Mohs 800-913-9395 mike@acousticalsurfaces.com		Lead Time: 5 Weeks Note to GC: Touch up paint Benjamin Moore Golden Nugget High Gloss 2019-2020 included
C1	Paint	Ceiling Vents	HC-87	Ashley Gray		Benjamin Moore	http://www.benjaminmoore.com		N/A
C2	Paint	Ceiling Vents	AF-15	Steam	PT46	Benjamin Moore	http://www.benjaminmoore.com		N/A
C3	Paint	Restroom Ceiling/Solid Gypsum Board	OC-17	White Dove		Benjamin Moore	http://www.benjaminmoore.com		N/A
Lighting									
D1	Lighting	General Recessed Downlight	RDA-136LM30-FL-S / RDA-136-H	4" Adjustable Ambient Downlight, 45 degree beam, 1360 lumen		Current Lighting	slorders@currentlighting.com		Lead Time: 2 Weeks
D2	Lighting	Wall Wash Recessed Downlight	RDA-60LM30-NF-S / RDA-60-H	4" Adjustable Accent Downlight, 30 degree beam, 600 lumen		Current Lighting	slorders@currentlighting.com		Lead Time: 2 Weeks
E1	Lighting	McSeed Light Pendant	16464-McSeed-C-R Lamp 4603-4GU10/LED/930/DIM/G/12 0V T20 10/1	Pendant Mount Sesame Seed Chrome Fixture		Current Lighting	slorders@currentlighting.com		Lead Time: 3 Weeks
E2	Lighting	McBoat Light Pendant	16464-MCBOAT-5ft-30H-U-W-W	Pendant Mount 5' Chrome Boat Fixture		Current Lighting	slorders@currentlighting.com		Lead Time: 4 weeks
Floor Finishes									
F1	Tile	Floor Tile & Dining Room Base Tile	SMCN/.12424UPS	Cloud Nine 24"x24"		Crossville	Toni Hale 931-456-3997 thale@crossvilleinc.com		Lead Time: 10 business days from PO and Payment. Grout Finish Mapei Ultracolor Plus FA Iron 107
	Grout	Grout used with Floor Tile	Ultracolor Plus FA	Iron 107		Mapei	Mapei 800-426-2734		N/A
F2	Trim	Metal Cove Base	DILEX AHK 1S 125 AE	Satin Anodized Aluminum	TR02	Schluter	Earl Maicus 800-267-0817 Ext 3410		At restroom, if required
F2	Tile	Cove Base Tile	Architect	Factory 6"x12"	TL16	ICG Italia	714-224-5802 MCD@icgmail.com		To be used in Regions where Cove Base Tile is required. Grout Joint Recommendation 1/8" thick. Lead Time: 10 business days from PO and Payment. Grout Finish Mapei Charcoal 47
F2	Tile	Cove Base Tile Option for Health Code	MA.DE	Uni Grigio 6"x12"		ICG Italia	714-224-5802 MCD@icgmail.com		To be used in Regions where health code requires Restroom Cove Base Tile and Light Wall Tile. Grout Joint Recommendation 1/8" thick. Lead Time: 10 business days from PO and Payment. Grout Finish Mapei Ultracolor Plus FA Frost 77



2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

REVISIONS

LTR	DATE	BY	CHK'D
-----	------	----	-------

--	--	--	--

[illegible]

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

[illegible]

--	--	--	--

--	--	--	--

[illegible]

--	--	--	--



ROUTE 66 OPTIMIZED

SITE ID:

STORE NUMBER: _____

ADDRESS
STREET
CITY,
STATE

GC LEGEND

DATE: ##-##-##

SCALE: NTS

DESIGNER: XXY

CHK'D:

DRAWING NUMBER

PAGE

4590

9a

Z:\Design\Read-Only\BRANDS\McDONALD'S\2025 NEW (DIR) BUILDING STANDARDS\ROUTE 66\4590\2025 New Restaurant Proto_4590_Route 66_JBI_20260202.dwg, 9b, 2/17/2026 2:03:50 PM, avillavicencio

ITEMS BY GENERAL CONTRACTOR / OWNER

GC Type Mark	Type	Description	Product	Finish & Color	McD Finish Code	Manufacture	Contact Info	McD SKU#	Comments
Wall Finishes									
G1	Wallcovering	Dining Room Wallcovering	NA-5C-MC503	Grey Stripe		Momentum	Mollie Burdette, mburdette@momtex.com, 800-366-6839		Minimum 3-week lead-time for material. Product is microvented, GC to use proper adhesive. GC to order and install comer guards on all exposed corners, see trim specification for details. Trim graphic panels from top.
G2	Wallcovering	Dining Room Wallcovering	NA-5C-MC501	Seed + Fry Wood Wallcovering		Momentum	Mollie Burdette, mburdette@momtex.com, 800-366-6839		Minimum 3-week lead-time for material. Product is microvented, GC to use proper adhesive. GC to order and install comer guards on all exposed corners, see trim specification for details. Trim graphic panels from top.
G3	Wallcovering	Dining Room & Crew Room Wallcovering	NA-5C-MC500	Route 66 Woodgrain		Momentum	Mollie Burdette, mburdette@momtex.com, 800-366-6839		Minimum 3-week lead-time for material. Product is microvented, GC to use proper adhesive. GC to order and install comer guards on all exposed corners, see trim specification for details. Trim graphic panels from top.
H1	Wall Graphics	Dining Room Wall Graphics / Murals	NA-5C-MCD506 MDP-1776-12-2	US Map Mural		Momentum	Mollie Burdette, mburdette@momtex.com, 800-366-6839		Product is microvented wallcovering. G.C. to install corner guards on all exposed corners. Lead Time: 6 Weeks
H2	Wall Graphics	Service Area Wall Graphics/Murals	NA-5C-MC502	Blue Burger Mural		Momentum	Mollie Burdette, mburdette@momtex.com, 800-366-6839		Product is microvented wallcovering. G.C. to install corner guards on all exposed corners. Lead Time: 6 Weeks
H3	Wall Graphics	Crew Room Wall Covering Panels	DP-5844-VIS703 CR	Crew Room Mural		Momentum	Mollie Burdette, mburdette@momtex.com, 800-366-6839		Minimum 3-week lead-time for material. Product is microvented, GC to use proper adhesive. GC to order and install comer guards on all exposed corners, see trim specification for details. Trim graphic panels from top.
J	Solid Surface	Window Sills	Corian	Deep Titanium		Dupont	Ida Sisic 404-502-8354 ida.sisic@dupont.com		Lead Time: 4 Weeks If / As applicable: to match aluminum colored mullions
K	Tile	Wainscot	SMCN/.12424UPS	Cloud Nine 24"x24"		Crossville	Toni Hale 931-456-3997 thale@crossvilleinc.com		Grout Joint Recommendation 1/8" thick. Lead Time: 10 business days from PO and Payment. Grout Finish Mapei 107 Iron
L1	Trim	Service Area, Restroom & Crew Room Trim	RONDEC-AE	Satin Anodized Aluminum (AE)		Schluter	Earl Maicus 800-267-0817 Ext 3410		To be coordinated with GC Item M & NI
L2	Trim	Wainscot Trim	RONDEC-DB	Satin Anodized Alumimum (AE)		Schluter	Earl Maicus 800-267-0817 Ext 3410		As required for walls with tile wainscot with tile above
L3	Trim	Wallcovering Corner Guards	1/2"x1/2"	Satin Anodized Aluminum			Local Distributor		N/A
M1	Tile	Dining Room Wall Tile	White Glossy	Left Chevron Product Number: 1318-CUS20006 Right Chevron Product Number: 1318-CUS20007		ICG Italia	714-224-5802 MCD@icgmail.com		Grout Joint Recommendation 1/16" maximum. Lead Time: 10 business days from PO and Payment. Grout Finish Mapei Charcoal 47
M2	Tile	Service Counter Area	SMAS/.10412S	Afternoon Spray 4"x12"		Crossville	Toni Hale 931-456-3997 thale@crossvilleinc.com		To be used in Regions where health code requires White tile. Grout Joint Recommendation 1/8" thick. Lead time: 10 business days from PO and Payment. Grout Finish Mapei Silver 27
N1	Tile	Restrooms Wall Tile & Crew Room Wainscot Tile	Architect	Factory 12"x24"	TL16				Grout Joint Recommendation 1/16" maximum. Lead Time: 10 business days from PO and Payment. Grout Finish Mapei Charcoal 47
N1	Tile	Restroom Walls & Crew Room Wainscot Tile Option for Health Code	MA.DE	Uni Grigio 12"x24"	TL01	ICG Italia	714-224-5802 MCD@icgmail.com		To be used in Regions where health code requires White tile. Grout Joint Recommendation 1/16" maximum. Lead Time: 10 business days from PO and Payment. Grout Finish: Mapei Frost 77
N2	Tile	Accent Restroom Walls	754-878	Shelter Bianco Matte 4"x12"	TL69	ICG Italia	714-224-5800 MCD@icgmail.com		Grout Joint Recommendation 1/16" maximum. Lead Time: 10 business days from PO and Payment. Grout Finish Mapei Charcoal 47
	Grout	Grout to be used with Dining Room Tile & All Restroom Walls	Ultracolor Plus FA	Charcoal 47		Mapei	Mapei 800-426-2734		N/A
	Grout	Grout used with Wainscot	Ultracolor Plus FA	Iron 107		Mapei	Mapei 1.800.426.2734		N/A
	Grout	Grout used with Service Counter Tile Walls	Ultracolor Plus FA	Silver 27	GT14	Mapei	Mapei 800-426-2734		N/A
	Grout	Grout used with Restroom Walls Option for Health Code	Ultracolor Plus FA	Frost 77		Mapei	Mapei 800-426-2734		N/A



2650 El Presidio Street
Long Beach, CA 90810
T 1 310 667 5600
F 1 310 604 3827
www.jbi-interiors.com

REVISIONS

LTR	DATE	BY	CHK'D
-----	------	----	-------

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--



ROUTE 66
OPTIMIZED

SITE ID: -

STORE NUMBER: -

ADDRESS
STREET
CITY,
STATE

GC LEGEND

DATE: ## ##

SCALE: NTS

DESIGNER: XXX


CHK'D:

DRAWING NUMBER

PAGE

4590

9b



LTR	DATE	BY	CHK'D
-----	------	----	-------

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--



SITE ID: -

STORE NUMBER: -

ADDRESS
STREET
CITY,
STATE

DATE: ##-##-##

SCALE: NTS

DESIGNER: XXX | CHK'D:

DRAWING NUMBER	PAGE
----------------	------

4590 | 9c